



Model Number: KC-1200-500 D

Demo US Products King Cobra 1200 PRO Carpet & Tile Cleaning Machine Dual 1200psi/500psi
HEATED Pump Auto Fill / Dump KC-1200-500

Manufacturer: US Products

Demo King Cobra 1200 PRO - Dual-Surface Cleaner - Machine and hose set only
Clean Multiple Surfaces with ONE Machine - Saving Time and Equipment Cost
Condition level: Scratches or Dents or Minor Blemishes

Ships from TX

90 Day Factory parts and labor warranty

Available on a first come first purchase basis

Serial #4000027071

Used by US Products Factory Rep on limited basis to just demo the performance.

Machine only.

Age: one year old.

Purchase on-line and if another customer beats you this great buy, your money will be refunded in full.

Also marketed under the following Part numbers: CRW, MUS19; UP-KC1200-EA;
kc1200; and TurboForce, Terminator 1200, TMT-1200 and KC-1200-500.

Owners Manual

The new King Cobra 1200 PRO is the latest in innovation and cleaning power in the King Cobra Series line of portable extractors. This new dual surface extractor has two separate systems and does the job of two separate machines in one convenient portable package, saving you valuable space and enhancing your cleaning capability at your next job site.

A powerful 1200 psi pump pressure washes tile and grout and a strong 7.2" 3-stage vacuum immediately vacuums up the loosened soil and excess water, leaving floors clean and dry and ready to use with minimal downtime.

As a carpet extractor, a key new feature of this unique machine is the adjustable 150-500 psi pump for carpet and upholstery cleaning. With 500 psi and instant 212°F water at the wand tip, this portable carpet extractor delivers superior cleaning power, in a compact, easy to use portable extractor.

With performance that rivals a truck mount, unmatched quality, and features that can only be found in U.S. Products Cleaning equipment, the King Cobra 1200 PRO will boost cleaning efficiency, performance and versatility.



US Products Features

- Hose Reel — Patent-pending, built-in 25' vacuum and solution hose reel for easy hose management.

- Smart Circuit Locator — Automatically locates separate lines to eliminate blown circuits.

- Heater Element — In-line, after the pump for longer life and instant heat to 212° F, lifetime warranty.

- Low Solution Fill — Solution fill area located low for easy bucket fill with less back stress

- Low Moisture System — Less water (combined with higher heat) means faster drying, less chance of shrinkage, and less wicking from the pad.



- Vacuum Manifold — Increases efficiency when using two vacuum motors in series.

- Tanks and Bodies — Lightweight, rotationally molded with lifetime warranty against cracks, leaks, and dents.

- Cord Wrap — Can Accomodate up to 50 feet of 12/3 electrical cord.



- Dual-Surface — Set for 1200 psi Hard Floor Cleaner or Instant 212° F for Hot Water Carpet Extraction at 150 psi.

- Power Prime System — Foot operated valve for easy priming.

- 
- 
- Auto Dump — 5.5 gallons per minute with Electronic Shut-off.

Specifications and Features of the King Cobra 1200

- Hose Reel
- 25' High Pressure Solution Line and Crushproof Vacuum Hose
- 7.2" 3-Stage Vacuum / 140" Waterlift
- Ball and Float Shut-off
- Positive Displacement, Fully Adjustable 0-1200 PSI Pump
- Instant 212° F, 2000 Watt Inline Heater
- Smart Circuit Locator
- Low Moisture System
- 16 Gallon Solution Tank / 14 Gallon Recovery Tank
- Convenient Low Solution Filling Area For Easy Filling
- Auto Fill
- Power Prime System

- 
- 
- Auto Dump with 5.5 gpm Electronic Shut-off
 - Chemical Tray
 - Two Handles For Easy Maneuverability and Loading
 - Wand Caddy for Easy Transport
 - Dump Hose, 22" Height
 - 10' Non-Marking Locking Wheels
 - Cords: 2 Each Detachable 1/2" Gauge, Hospital Grade Plugs
 - Stainless Steel Pre-Filter
 - Dimensions: 36"H x 21"W x 39"L

Other US Products Retail Price List

Need Help Loading & Unloading? Check Out Our Selection of Loading Ramps [Click Here](#)

20120516djc



800.440.6723

www.southeasternequipment.net