



186 Sweeper

1186 Sweeper Scrubber



Rugged, Maneuverable

186/1186 Walk-Behinds



Reduce the high cost of maintenance labor with machines that turn a one hour sweeping or scrubbing job into a ten minute breeze. Not only do the machines speed through a variety of cleaning chores, but they do a better job than brooms or mops.

The TENNANT 186/1186 walk-behinds provide total cleaning power for congested areas. These rugged, easy-to-use machines offer impressive productivity increasing features that leave workers free to perform other tasks. You save time and money.

The workhorse 186 sweeper cleans indoors and out, on rough or smooth surfaces. It performs an hour's worth of hand sweeping in just 10 minutes. Picks up a variety of debris, including sand, glass, gravel, cans, leaves, and metal chips. Unlike hand sweeping, the 186 eliminates dust created by the sweeping process. So parts, stock and equipment stay cleaner.

The versatile 1186 both sweeps and scrubs. Use it as a sweeper to clean everything from dirt to bulky debris, and control dust, too. Use it as a scrubber without complicated changeovers or conversions. It cleans up dirt, spillage and stains faster than workers with mops. And, the 1186 can do both at the same time.


No matter which machine you choose, you will increase employee productivity. That will save you time, effort and money.



186 Sweeper

Does one hour's hand sweeping in 10 minutes.

The 186 Sweeper cleans up to 6 times faster than using hand methods. It dramatically decreases labor costs and frees workers for other tasks.




*Sweeping at 1.5 mph (2.4 kph) with 6" (152 mm) overlap.

1186 Sweeper/Scrubber

Does one hours hand scrubbing in 5 minutes.

The 1186 cleans 12 times faster than hand mopping. It decreases labor costs and frees workers for other tasks. Picks up solid debris at the same time.



*Scrubbing at 1.5 mph (2.4 kph) with 2.5" (64 mm) overlap.

Productive, Reliable

186 Sweeper

- **Sweeps clean, controls dust.**

Debris is hurled from the path of the main brush, into a rugged, easy - dump hopper. A powerful vacuum pulls dust from the enclosed brush area, through a panel filter that traps particles as small as 3 microns.

- **Simplifies operation.**

TENNANT walk-behind sweepers are designed to make one pass cleaning possible. Something almost anyone can do well, every time. Easy operation and simple to use controls make the job easy.

- **Withstands hard use.**

Wraparound bumper, dust-protected parts and heavy-duty construction provide years of reliable service. Impressive factory warranties, service and support improve machine life.

- **Has several power options.**

Quiet, fume-free cleaning is available with battery-powered model. Gas and LPGas models offer ample power for the toughest applications. Industrial grade engines have critical parts dust-sealed for long life.




How it works.

A rotary side brush sweeps debris from walls, pallets, etc. into the path of a rotating, cylindrical brush. Debris is thrown into a 2.8 ft³ (79 l), easy dump hopper. Dust laden air is pulled into a highly effective panel filter that cleans automatically when the machine is shut down. Simply squeezing a handle powers the machine, forward and reverse.

Features that increase productivity and save money.




Virtual dust free sweeping comes from a vacuum and panel filter that cleans automatically when machine is shut off.



Dumps easily with leveraged handle. Hopper holds up to 150 lbs. (68 kg) of debris.



Main brush changes in minutes without tools. Many brush types assure optimum debris pickup in a variety of applications.



Vacuum wand cleans cramped, inaccessible areas. Under racks, in doorways, around pallets, etc. Not available on type "EE."

Mechanical Data (subject to change without notice)

186 Sweeper

Dimensions		
Length	62.0"	1575 mm
Width	37.5"	950 mm
Height	38.0"	965 mm
Weight, Net	440 lbs	200 kg
Panel Filter	49 ft ²	4.60 m ²
Hopper: steel.		
Capacity:	2.8 cu ft 150 lbs	791 68 kg
Main Brush: Tubular, one-piece disposable		
Length	26"	660 mm
Diameter	10"	255 mm
Side Brush: Synthetic bristles		
Diameter	17"	435mm
Tires: Front,	10 x 2	254 x 51 mm
Rear, caster.	5 x 1.5	127 x 38 mm

Systems
Power Source: Battery, Gas or LP-Gas Industrial type engine (8hp - 6kW).
Drives: Self-propelled, forward and reverse. Belts and roller chain power front wheels through differential. Belt-driven main brush, side brush, vacuum fan.
Frame: Welded steel plate, reinforced at stress points, wraparound bumper.
Hopper Fire Protection: Thermo-Sentry™ shuts off vacuum fan.
Filter Shaker: Automatic, electric filter shaker dumps directly into hopper.

1186 Sweeper/Scrubber

Dimensions		
Length	62"	1575 mm
Width	37.5"	950 mm
Height	38"	965 mm
Main Brush: Tubular, one piece, plastic core		
Length	26"	660 mm
Diameter	10"	255 mm
Side Brush: Disc type.		
Diameter	17"	435 mm
Solution Tank: Heavy molded polyethylene		
Useable	11 gal.	41 l
Panel Filter	49 ft ²	4.60 m ²
Hopper: non-corrosive polyethylene		
Capacity	2.0 cu ft 100 lbs	571 45 kg

Systems
Power Source: Battery, Gas or LP-Gas, Industrial type (8 hp - 6 kW).
Drives: Self-propelled, forward and reverse. Belts and roller chain power front wheels through differential. Belt-driven main brush, side brush, vacuum fan.
Steering: Power, forward and reverse.
Frame: Welded steel plate, reinforced at stress points, wraparound bumper.
Hopper: With hopper fire protection. Thermo-Sentry™ shuts off vacuum fan.
Recycling Tank: Solution is pumped and filtered for Extended Scrubbing.
Squeegee: No-tool blade change. Has reversible edges.

Copyright 1990 TENNANT 8/90 25M Printed in USA DPI



www.southeasternequipment.net

1-800-440-6723

