
Compact and Maneuverable Battery Operated Micro Scrubber





Manufacturer PDF Provided by www.southeasternequipment.net

Superior maneuverability for daily small area scrubbing

The Advance SC351 provides both forward and backward scrubbing and drying with an impressive brush pressure of 66 lbs. This allows for superior cleaning in crowded places, under tables, shelves, furniture, and tight corners. Ideally suited for cleaning of hotels, schools, small shops, offices, convenience stores, and coffee shops, the SC351 offers unique performance in a small and handy machine.



Added performance for small area cleaning

Drop the mop and bucket, and achieve remarkable results

Reach under objects and in tight spaces

Low profile, compact design and rotating deck with integrated squeegee enables the SC351 to clean and dry both forward and backward, reaching even the most inaccessible areas.

Powerful cleaning

Achieve superior levels of cleanliness with 66 lbs of down pressure.

Non-disruptive cleaning

Low noise level enables daytime cleaning, even in noise-sensitive environments.

Fast, simple maintenance

Patented squeegee blade retaining system allows for easy, and tool free squeegee blades removal and install.







Easy to transport and store with limited space, thanks to the compact design and fold-able handle



Comfortably and conveniently fill and empty the SC351 with the removable two tank system and rubber protected handles

Manufacturer PDF Provided by www.southeasternequipment.net

Big results in a compact machine

SC351 AGM Lead battery

When restrictions in usability are accepted:

- Minimal Maintenance
- No opportunity charging
- 1 Year Full Warranty (18 months pro-rated)

SC351 Lithium-ion battery

When productivity and warranty matter most:

- No Maintenance
- Fast & Opportunity Charge
- 5 Year Warranty or 800 cycles

Technical specifications

Description	Unit	SC351 AGM	SC351 Li-ion
Voltage	V	12	24
Rated power	W	500	500
Sound pressure levet at 1.5 m	dB(A)	64	64
Productivity rate theoretical	ft²/h (m²/h)	7,000 (650)	7,000 (650)
Scrubbing width	in (mm)	14.5 (370)	14.5 (370)
Solution/recovery tank	gal (L)	2.5 (9.5)	2.5 (9.5)
Brush/pad diameter	in (mm)	14.5 (370)	14.5 (370)
Brush pressure	lb (kg)	60 (27)	66 (30)
Length x width x height (machine body)	in (cm)	28 x 17 x 18.5 (71 x 43 x 47)	28 x 17 x 18.5 (71 x 43 x 47)
Net weight	lb (kg)	95 (43)	99 (45)
Gross weight	lb (kg)	176 (80)	123 (56)

Specifications and details are subject to change without prior notice.

