



## PBU

### Propane Burnishers

- 21 or 27 inch Size Configurations
- Clean and Efficient Catalytic Converter
- Optional Dust Control Models with electric clutch and CARB Gard™ monitor emissions




Trusted. Reliable. Efficient.

**Clarke**®

# Powerful Results with Superior Dust Control



When you need floor equipment to quickly burnish large surface areas to a high gloss, turn to the manufacturer who provides the most power available. Clarke® propane-powered burnishers are available in 21 inch and 27 inch path sizes, so you can choose the best match for your productivity needs. The Dust Control Series also offers superb dust control which is often critical for retail stores, office buildings, educational institutions, supermarkets and sports facilities.



All models have Kawasaki Twin-V engines that provide maximum power.




Large 20 pound 80% safety fill propane tanks offer long working time between refills and also prevents overfilling.



Balanced pad drivers reduce vibration and are flexible to follow the contour of uneven surfaces over floors.




# Clarke® PBU Burnishers



- 1** Both 21 inch and 27 inch models available
- 2** Flexible pad driver follows contour of uneven floors
- 3** Powder-coat finish resists oxidation and cleans easily
- 4** Durable, rugged cast aluminum alloy housing
- 5** Catalytic converter cleans exhaust emissions
- 6** 603cc Kawasaki twin engine gives powerful, dependable performance
- 7** Electric solenoid lock-off shuts off fuel when engine stops running
- 8** Long-lasting, maintenance-free gel battery will not spill
- 9** "Tip-back" capability facilitates easy pad change
- 10** Adjustable, ergonomic handle for operator comfort



The Dust Control series offers a unique floating shroud that directs the high velocity airflow near the floor to collect six times as much dust as competitive models.



Controls include electric key start switch, hour meter and optional CARB Gard™ emissions monitor.





Specifications	PBU			
Model Numbers	21KACAT*	27KACAT*	21KACATCLDC	27KACATCLDC
Part Number	56384165	56384166	56384167	56384168
Pad Size	21 in (53 cm)	27 in (68 cm)	21 in (53 cm)	27 in (68 cm)
Engine	603cc Kawasaki V-Twin - ALL MODELS			
Catalytic Muffler	Yes	Yes	Yes	Yes
Dust Control	No	No	Yes	Yes
CARB Gard™	No	No	Yes	Yes
Clutch	No	No	Yes	Yes
Pad Speed	2,000 rpm	1,700 rpm	2,000 rpm	1,700 rpm
Propane Tank	20 lb (9.1 kg) Capacity 80% Safety fill - ALL MODELS			
Auto Fuel Shutoff	Yes – ALL MODELS			
Hour Meter	Yes – ALL MODELS			
Sound Level	< 89 dB A - ALL MODELS			
Productivity Rate	25,000 ft <sup>2</sup> /hr (2,322 m <sup>2</sup> /hr)	33,000 ft <sup>2</sup> /hr (3,066 m <sup>2</sup> /hr)	25,000 ft <sup>2</sup> /hr (2,322 m <sup>2</sup> /hr)	33,000 ft <sup>2</sup> /hr (3,066 m <sup>2</sup> /hr)
Agency Approvals	EPA and C.A.R.B.		EPA, C.A.R.B., and CSA Listed	
C.A.R.B. Certified (California Air Resources Board)	Yes – ALL MODELS			
Weight	221 lb (100 kg)	233 lb (106 kg)	241 lb (109 kg)	268 lb (122 kg)
Dimensions				
Length	56 in (142.4 cm)	61.5 in (156 cm)	56 in (142.4 cm)	61.5 in (156 cm)
Width	23.5 in (60 cm)	30.5 in (77.5 cm)	24.5 in (62 cm)	31.5 in (80 cm)
Height	39.5 in (100 cm)	41 in (104 cm)	39.5 in (100 cm)	41 in (104 cm)
Warranty	2 Years Parts & Labor – ALL MODELS			

Specifications are subject to change without notice.  
 \*21KACAT and 27KACAT are not available for sale in Canada.

### What enhances its productivity?

- Powerful engine maintains speed under heavy loads
- Flexible pad driver follows contour of uneven floors
- Large 20 pound (9 kg) propane tank offers long working time between refills
- Effective dust control eliminates dust on merchandise, reduces pad build-up

### What does it do best?

- Accomplishes high-gloss burnishing with the most power available
- Completes large areas fast for high productivity
- Reduces operator fatigue with ergonomic comfort
- Easy to maintain

### What are the optional features?

- Electric clutch
- CARB guard™ monitor
- Dust containment system

### What are the safety features?

- Catalytic converter for clean air exhaust
- "CARB Gard™" emissions monitor
- 80% safety fill tanks prevent overfilling
- Safety certification program



9435 Winnetka Avenue North  
 Brooklyn Park, MN 55445  
 Phone: 800.253.0367  
 Fax: 800.825.2753  
[www.clarkeus.com](http://www.clarkeus.com)

240 Superior Boulevard  
 Mississauga, Ontario, Canada L5T 2L2  
 Phone: 800.668.8400  
 Fax: 800.263.5111  
[www.nilfisk-advance.ca](http://www.nilfisk-advance.ca)