

[HOME PAGE](#)

**Clarke®**

***Encore 28-38* Walk-Behind Scrubbers**



**800.440.6723**

[www.southeasternequipment.net](http://www.southeasternequipment.net)

# Full-Size Automatic Floor Scrubbers for Large Cleaning Capacity

## The First Choice of Cleaning Professionals

The large Encore can found cleaning hospitals, schools and shopping malls as well as in industrial applications. After many years of use, both Encore standard and luxury models still provide the greatest value.

- The versatility to configure the machine with various pad drivers or brushes.
- Various battery pack options.
- The off-aisle wand option sprays down water and recovers the solution.
- Choose the standard model or the deluxe feature rich luxury model.
- Large tank capacities mean fewer trips to dump and fill.
- Ergonomically designed controls fit your operator comfortably.

## Rugged Features - Designed to Last

Encore large automatic scrubbers provide the longest run times, greatest capacities and lowest costs per day to operate.

Design features include:

- Heavy duty Polydur™ exteriors to prevent accidental damage common in industrial applications.
- Reinforced floating scrub deck with wall rollers and gimbaled floating brushes.
- Heavy duty transaxle cleans inclines and makes for easy loading and unloading.
- Heavy duty rear casters absorb the shock from grouted or damaged floor surfaces.
- Patented Accu-Track™ breakaway squeegee prevents damage if accidentally hooked by a post or pallet.





# Service is a Breeze with Encore Automatic Scrubbers

Exclusive Clarke batteries for the longest run times

Readily accessible vacuum motor can be removed in minutes for thorough inspection

Removable recovery tank

Heavy duty tank support latch

No-tool access to brush motors and removable brush housing

Patented squeegee incorporates a steel frame and adjusts without tools

Heavy duty wheels and casters

Floating brushes use a gimbal system that minimizes breakage and can be easily removed and reinstalled in seconds

Brush covers expose brushes and are easily removed



Ergonomically designed operator panel features electronic infinitely variable solution control and a comfortable fatigue reducing handle design. Circuit breakers, charger plug and drain hose are conveniently located.




Patented squeegee and footprint design on the Encore provide years of maintenance-free operation resulting in perfectly dried floors even in the tightest of turns.

# ENCORE<sup>®</sup> 28-38



## Large Automatic Walk-Behind Scrubbers



### KEY FEATURES

- Operator comfort
- Stylish design
- Extended run times
- Large capacities
- Impressive warranties
- Transaxle drive
- Multi-tasking

### SPECIFICATIONS

| Model                           | Encore 28   | Encore 33   | Encore 38   |
|---------------------------------|---|---|---|
| <b>Power Supply / Charger</b>   | <b>Encore S28</b><br>36V (6-6V batteries) 250 and 330       | <b>Encore S33</b><br>36V (6-6V batteries) 250 and 330<br>115V 60Hz or 230V 50 Hz      | <b>Encore S38</b><br>36V (6-6V batteries) 330, 370 AH                   |
|                                 | <b>Encore L28</b><br>36V (6-6V batteries) 250, 330, 370 AH, | <b>Encore L33</b><br>36V (6-6V batteries) 250, 330, 370 AH<br>115V 60Hz or 230V 50 Hz | <b>Encore S38 / Encore L38</b><br>36V (6-6V batteries) 250, 330, 370 AH |
| <b>Brush Down Pressure</b>      | <b>Encore S28</b><br>150 lbs. (68 kg)                       | <b>Encore S33</b><br>150 lbs. (68 kg)   | <b>Encore S38</b><br>150 lbs. (68 kg)                                   |
|                                 | <b>Encore L28</b><br>Variable 120-220 lbs. (54 - 98 kg)     | <b>Encore L33</b><br>Variable 120-220 lbs. (54 - 98 kg)                               | <b>Encore L38</b><br>Variable 120-220 lbs. (54 - 98 kg)                 |
| <b>Vacuum Motor</b>             | 3-stage tangential discharge / 1 HP (.75 kW)                |   |   |
| <b>Brush Motor</b>              | (2) Permanent Magnet / .75 HP (.56 kW)                      | (2) Permanent Magnet / 1 HP (.75 kW)  | (2) Permanent Magnet / 1 HP (.75 kW)                                    |
| <b>Traction Motor</b>           | Transaxle / .5 HP (.37 kW)                                  |   |   |
| <b>Cleaning Swath</b>           | 28 in. (71 cm)  | 33 in. (84 cm)  | 38 in. (96.5 cm)  |
| <b>Brush Size / Speed</b>       | (2) 14 in. (36 cm)<br>w/ .5 in. (13mm) overlap 200 rpm      | (2) 17 in. (690 cm)<br>w/ 1 in. (25 mm) overlap 200 rpm                               | (2) 19 in. (48 cm)<br>w/ .5 in. (13mm) overlap 200 rpm                  |
| <b>Traverse Speed</b>           | Variable forward to 230 ft. ( 70 m) / min.                  |   |   |
| <b>Forward / Reverse</b>        | Variable reverse to 180 ft. (55 m) / min.                   |   |   |
| <b>Recovery / Solution Tank</b> | 30 / 30 gal. (114 / 114 l)                                  |   |   |
| <b>Squeegee Size / Type</b>     | 39 in. (99 cm)  | 43 in. (109 cm)   | 49 in. (125 cm)   |
|                                 | Accu-trac swing w/break-away feature                        |   |   |
| <b>Drive Wheels / Casters</b>   | (2) pneumatic (4.10 / 3.50-6) with sealant (foam optional)  |   |   |
| <b>Dimensions L x W x H</b>     | 62.5 x 28 x 44 in.<br>(159 x 71 x 112 cm)                   | 63 x 28 x 44 in.<br>(160 x 71 x 112 cm)   | 66 x 28 x 44 in.<br>(168 x 71 x 112 cm)                                 |
| <b>Machine Weight w/battery</b> | 1018 lbs. (462 kg)  | 1028 lbs. (466 kg)  | 1038 lbs. (470 kg)  |
| <b>Shipping Weight</b>          | 1321 lbs. (599 kg)  | 1331 lbs. (603 kg)  | 1341 lbs. (608 kg)  |

#### WHAT MAKES IT EASY TO USE?

- Ergonomically designed operator controls
- Highly maneuverable with excellent line-of-sight
- Pneumatic drive wheels with added sealant prevent air pressure loss

#### WHAT ENHANCES ITS PRODUCTIVITY?

- Large solution and recovery tanks
- Full swing, adjustable squeegee requires not tools
- Transaxle drive system
- Low maintenance features

#### WHAT ARE THE SAFETY FEATURES?

- Solution and brushes are turned off when machine is in neutral
- Unique bristle skirting controls over-spray

**Southeastern**  
EQUIPMENT & SUPPLY, INC.

**800.440.6723**

[www.southeasternequipment.net](http://www.southeasternequipment.net)