

NOBLES
ENGINEERED BY TENNANT COMPANY

STRIVE[®] COMPACT
Small area, fast-dry carpet cleaner



Deliver clean, dry carpet in 30 minutes or less with ReadySpace®

The Strive® Compact

Clean small carpeted areas in a snap!

Easily reach and clean tight areas with forward and reverse cleaning action, low-profile body, and Insta-Adjust™ handle.

Rugged construction you can count on

Your machine will be up and running for years to come with corrosion-resistant cast aluminum frame and durable polyethylene rotomold tanks.

Fill and empty — almost anywhere!

Lift-off solution and recovery tanks can be filled under most faucets and emptied into most drains and sinks.



Five no-nonsense features

1. Insta-Adjust™ handle

Quickly adjusts for operator comfort and cleaning ease.



2. Low-profile body

Easily reach under tables and desks with ultra low 24-inch machine profile.



3. Simple controls

Start cleaning immediately with easy-to-use one-button operation.

Built to be **tough**. Made to be **easy**.



READYSPACE[®]

More than clean, it's ReadySpace.[®]

Patented ReadySpace[®] Technology
Clean, dry carpets in less than 30 minutes.

Ensure a visibly clean, safe environment while improving the look of your carpet with Nobles' ReadySpace technology. Lift and remove dirt while providing clean, dry carpet in 30 minutes or less. Check out these results:

- High-traffic areas stay cleaner – Deliver a consistent look with regular cleanings.
- Reduce build up – Less chemical is used which helps prevent resoiling.
- Reduce the risk of slip-and-fall accidents – Due to fast dry-time you can walk from just cleaned carpet to hard floor with less risk of slippery mishaps.

4. No-tools required

Reduce time; improve reliability with no-tool roller and vacuum shoe maintenance.




5. Iron-clad warranty

3 years, 2,500 hours on parts and labor.
10 years on tanks.



Patented ReadySpace® Technology
Clean, dry carpets in less than 30 minutes.



ReadySpace technology removes the soil before it becomes deeply embedded:

- A) Damp soil-transfer rollers grab dirt from carpet fibers and lift it into the machine.
- B) Inside, sprayers rinse the rollers, not the carpet.
- C) Two powerful vacuum shoes suck the dirty water into the recovery tank.

Because the carpet itself is never saturated, dry time is significantly reduced.

With ReadySpace technology, you will...

Turn your just-cleaned carpeted spaces around quicker, keep rooms open for traffic longer, and clean high traffic areas more often.

Engineered by Tennant Company, the Strive® Compact is the smart, reliable choice for your no-nonsense cleaning needs.



Carpet and Rug Institute (CRI) Seal of Approval - Certified Bronze

Specifications		
Cleaning path	15 in	380 mm
Solution tank	5 gal	19 L
Recovery tank	5 gal	19 L
Roller size (dual cylindrical)	15 in	380 mm
Roller speed	450 rpm	450 rpm
Roller motor (2)	0.3 hp	0.22 kW
Vacuum fan	2-stage, 1.2 hp	2-stage, 0.89 kW
Vacuum motor airflow (max)	99 cfm	2.8 m³/min
Vacuum system sealed water lift	86 in	2,180 mm
Solution pump pressure	65 psi	4.48 bar
Solution spray rate	0.2 gpm	0.76 lpm
Sound level (operator's ear)	69 dBA	69 dBA
Product length*	30 in	760 mm
Product width*	19 in	480 mm
Product height*	28 in	710 mm
Product weight	117 lb	53 kg
Power cord	50 ft	15 m
Optional tools available		

*Dimensions are measured with handle folded flat for storage.

Specifications subject to change without notice.