
| ITEM NO. | PART NO. | DESCRIPTION | QTY. | MSRP |
|--|---|---|--|---|
| 1 | H135 | Cuff-Lynx, 2" m cuff x 2" mpt | 1 | \$3.99 ea |
| 2 | P583 | vac tank, MyteeLite | 1 | \$159.99 ec |
| 3 | H312 | plate, connecting, MyteeLite | 4 | \$6.99 ea |
| 4 | H230 | screw, 10-32 x 1/2" phil pan head, s/s | 28 | \$0.99 ea |
| 5 | G036 | cap, 2.5" threaded, tethered | 1 | \$3.49 ea |
| 6 | H423 | plug, 7/8", black, heyco | 2 | \$0.99 ea |
| 7 | H222 | screw, 10-32 x 1-1/4" phil pan head, s/s | 6 | \$0.99 ea |
| 8 | H688-A | handle, MyteeLite | 1 | \$65.99 ea |
| 9 | G055 | tether, cap, 6 1/2" | 1 | \$12.99 ea |
| 10 | P560 | cap, 6", threaded | 1 | \$23.99 ea |
| 11 | G031 | gasket, 3.25" i.d. x 5.88" o.d. | 1 | \$6.99 ea |
| 12 | G022 | filter, foam, 2-3/8" x 1" | 1 | \$2.99 ea |
| 13 | G021 | screen, mesh filter, 2-3/8" dia | 1 | \$4.99 ea |
| 14 | H203 | bolt, 1/4-20 x 1-1/4" hex head, s/s | 2 | \$0.99 ea |
| 15 | H210 | washer, 1/4" flat, s/s | 6 | \$0.99 ea |
| 16 | H216 | nut, lock, 1/4-20, nylon insert, s/s | 2 | \$0.99 ea |
| 17 | H213 | washer, 1/4" lock, s/s | 2 | \$0.99 ea |
| 18 | H201 | bolt, 1/4-20 x 1/2" hex head, zinc | 2 | \$0.99 ea |
| 19 | H846B | cap, gallon jug, 1-5/8" | 1 | \$0.77 ea |
| 20 | H379 | bracket, front, small | 1 | \$3.99 ea |
| 21 | B119 | filter, strainer, 1/4" | 1 | \$3.77 ea \$3.99 ea |
| 22 | P584 | sol tank, MyteeLite | 1 | \$3.99 ed \$149.99 ed |
| 23 | G004 | , | 2 | \$8.99 ea |
| | | gasket, vacuum motor | | - |
| 24 | C302P | vac motor, 3 stage |] | \$148.99 ed |
| 25 | H178 | faucet fill |] | \$10.99 ec |
| 26 | B241 | adapter, brass, 3/8" barb x 1/4"mpt | 1 | \$1.99 ea |
| 27 | PH612-60 | clear tubing, 1/2" OD x 3/8" ID, faucet fill | 1 | \$1.99 ft |
| 28 | H681 | caster, 2", black hub, gray tread | 2 | \$8.99 ea |
| 29 | H273 | nut, kep, #10-32 zinc | 15 | \$0.99 ea |
| 30 | P585 | base, MyteeLite | 1 | \$89.99 ec |
| 31 | H212 | flat washer, 9/16"ID x 1 1/16"OD, AN960-C916 | 4 | \$0.99 ea |
| 32 | H427 | washer, wave, axle | 2 | \$1.49 ea |
| 33 | H279 | wheel, 6" | 2 | \$25.99 ec |
| 34 | H042 | c-clip, 12mm, external | 2 | \$0.99 ea |
| 35 | H254 | washer, axle, cut 1/2" id | 2 | \$0.99 ea |
| 36 | H241 | axle, 13.63" x .50" dia | 1 | \$15.99 ec |
| 37 | H029 | plastite screw, 10 x 1/2" | 4 | \$0.99 ea |
| 38 | E515 | switch, rocker, 2 position | 3 | \$13.99 ec |
| 39 | E532 | power cord, end, 25', 14/3 | 1 | \$44.99 ec |
| 40 | H445 | fitting, strain relief, w/ spring, 1/2" npt | 1 | \$8.99 ea |
| | · — | plate, switch, MyteeLite, 3 hole | 1 | \$6.99 ea |
| 41 | H310 | plato, 31111011, 1111, 100 Ello, 0 11010 | , | |
| 41 | H310 H221 | nut, lock, 1/2" steel | 1 | \$1.99 ea |
| | | · | | • |
| 42 | H221 | nut, lock, 1/2" steel | | • |
| 42 43 | H221 H486 | nut, lock, 1/2" steel latch, front | 1 | \$13.99 ec |
| 42 43 44 | H221 H486 G068 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head | 1 1 2 | \$13.99 ec |
| 42 43 44 45 | H221 H486 G068 H256 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc | 1 1 2 2 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea |
| 42 43 44 45 46 | H221 H486 G068 H256 B136 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt | 1 1 2 2 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ec |
| 42 43 44 45 46 47 | H221 H486 G068 H256 B136 AH157 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw | 1 1 2 2 3 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea |
| 42 43 44 45 46 47 48 | H221 H486 G068 H256 B136 AH157 B105 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw bushing, brass, 3/8"mpt x 1/4" | 1 1 2 2 3 1 2 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea \$151.99 ea |
| 42 43 44 45 46 47 48 49 | H221 H486 G068 H256 B136 AH157 B105 C305 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw bushing, brass, 3/8"mpt x 1/4" pump, 120 psi, 115V | 1 1 2 2 3 1 2 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea \$151.99 ea |
| 42 43 44 45 46 47 48 49 | H221 H486 G068 H256 B136 AH157 B105 C305 B170 PH634-13 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw bushing, brass, 3/8"mpt x 1/4" pump, 120 psi, 115V ferrule, 1/4" brass sol hose, 1/4" silicone braided, clear | 1 2 2 3 1 2 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea \$151.99 ea \$0.99 ea \$6.49 ft |
| 42 43 44 45 46 47 48 49 50 51 52 | H221 H486 G068 H256 B136 AH157 B105 C305 B170 PH634-13 B110 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw bushing, brass, 3/8"mpt x 1/4" pump, 120 psi, 115V ferrule, 1/4" brass sol hose, 1/4" silicone braided, clear adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket | 1 2 2 3 1 2 1 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea \$151.99 ea \$0.99 ea \$6.49 ft \$3.99 ea |
| 42 43 44 45 46 47 48 49 50 51 52 53 | H221 H486 G068 H256 B136 AH157 B105 C305 B170 PH634-13 B110 B107 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw bushing, brass, 3/8"mpt x 1/4" pump, 120 psi, 115V ferrule, 1/4" brass sol hose, 1/4" silicone braided, clear adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket nipple, brass, 1/4"m, hex | 1 1 2 2 3 1 2 1 2 1 | \$13.99 ea \$1.99 ea \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea \$151.99 ea \$0.99 ea \$6.49 ft \$3.99 ea \$3.19 ea |
| 42 43 44 45 46 47 48 49 50 51 52 | H221 H486 G068 H256 B136 AH157 B105 C305 B170 PH634-13 B110 | nut, lock, 1/2" steel latch, front bumper, 7/8" x 1/4" head screw, 10-32 x 3/4" phil pan head, zinc elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt hose, 3/8" x9" (OAL), f x fsw bushing, brass, 3/8"mpt x 1/4" pump, 120 psi, 115V ferrule, 1/4" brass sol hose, 1/4" silicone braided, clear adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket | 1 2 2 3 1 2 1 2 | \$0.99 ea \$4.99 ea \$25.99 ea \$3.19 ea \$151.99 ea \$0.99 ea |

7

| ITEM NO. | PART NO. | DESCRIPTION | QTY. | MSRP |
|-------------|----------|--|------|------------|
| 57 | H903A | heater, aluminum cast, single | 1 | \$78.99 ea |
| 58 | E519 | heating rod, 1000W, 115V | 1 | \$51.99 ea |
| 59 | E573 | Thermostat, 200°, Auto, 1/4" | 1 | \$16.49 ea |
| 60 | E574 | Thermostat, 310°F ± 10°F, Manual, 1/4" | 1 | \$17.99 ea |
| 61 | H274 | screw, 6 x 3/16, phil pan head, self-tapping | 5 | \$0.99 ea |
| 62 | AH184 | hose, pulse, 3/8" x 14-1/2" (OAL), f | | \$27.99 ea |
| 63 | B130 | 45 deg, street elbow, brass, 1/4" male | 1 | \$5.49 ea |
| 64 | H484 | plate, mounting, QD | 1 | \$4.99 ea |
| 65 | B111 | adapter, brass, extender, 1/4" mpt x 1/4" fpt, hex | 1 | \$3.49 ea |
| 66 | B102 | qd, brass, 1/4" f x 1/4" fpt | 1 | \$17.99 ea |


ITEMS NOT SHOWN

| PART NO. | DESCRIPTION | QTY. | MSRP |
|----------|--|------|------------|
| B101 | quick disconnect, male, 1/4" male x 1/4" fpt | 2 | \$8.49 ea |
| B102 | quick disconnect, 1/4" female x 1/4" fpt | 1 | \$17.49 ea |
| A942 | sol hose, 1/4" x 16' 1", 3000 max psi | 1 | \$71.99 ea |
| G079 | hose wrap, heat guard | 3 | \$2.99 ea |
| A935 | sol hose, pigtail, 1/8 x 7 1/2 | 1 | \$14.99 ea |
| H701 | hose, vac, 15' x 1-1/4" w/ 1 1/2 black cuffs | 1 | \$43.99 ea |
| H282 | tool, upholstery w/valve | 1 | \$98.99 ea |
| H122 | Cuff-Lynx, 1.25" hose cuff x 2" female cuff | 1 | \$3.99 ea |
| ADM-8070 | manaul, Mytee-Lite | 1 | |




| | NAME | DATE | NA Y | VTF | | CTC | INIC |
|---|---|--------|--------|------------|--------------------------|------------|----------|
| DRAWN | M.LaBarbera | 1/2014 | TAT | | ΣE PRODUCTS, INC | | |
| CHECKED | | | TITLE: | | | | |
| COMMENTS: PROPRIETARY AND CONFIDENTIAL | | | | My | /teeLit (2014 | te II) | |
| DRAWING | MATION CONTAINE IS THE SOLE PROPE DDUCTS, INC. ANY | | SIZE | DWG. | NO. | | REV |
| REPRODUC WITHOUT T | ODUCTS, INC. ANT OTION IN PART OR A THE WRITTEN PERMIS ODUCTS, INC. IS | | C | | 8070 | | E |
| PROHIBITEI | | | SCAI | E: 1:24 | DO NOT SCALE DRAWING | SHEE | T 1 OF 3 |

6



| | NAME | DATE | T/A | /TE | E PRODU | CTC | INIC |
|---|-------------|--------|--------|-------------------|-------------------------|------|-----------------|
| DRAWN | M.LaBarbera | 1/2014 | TAT 7 | | 858-679-1191 | CIS, | IIVC. |
| CHECKED | | | TITLE: | | | | _ |
| PROPRIETARY AND CONFIDENTIAL | | | Mγ | /teeLit (2014) | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS | | | SIZE | DWG. | 8070 | | REV E |
| PROHIBITE | D. | | SCAL | E: 1:24 | DO NOT SCALE DRAWING | SHEE | T 2 OF 3 |
| | | | | | | | |

| | | • | | | | | |
|-----------|--------------------------|-----------|----------|--|--|--|--|
| REVISIONS | | | | | | | |
| REV. | DESCRIPTION | DATE | APPROVED | | | | |
| OD | ORIGINAL DRAFT | 1/3/2014 | JFL | | | | |
| А | G004A REPLACED WITH G004 | 3/19/2014 | ML | | | | |
| В | ADDED H212 AND B170 | 3/19/2014 | ML | | | | |
| С | ADDED H029 | 6/18/2014 | ML | | | | |
| D | ADDED H423, B110 | 7/11/2014 | ML | | | | |
| Е | ADDED B241, B111 | 4/15/2015 | ML | | | | |



| LaBarbera | 1/2014 | TITLE: | | PRODU(858-679-1191 | J13, | INC. |
|--|--|---|--|---|---|---|
| | | TITLE: | | | | |
| , | | | | | | |
| | | | My (| teeLit (2014) | e II | |
| HE SOLE PROPE CTS, INC. ANY N IN PART OR A VRITTEN PERMIS | RTY OF | SIZE | DWG. N | 8070 | | REV E |
| 310, 1113.13 | | SCA | LE: 1:24 | DO NOT SCALE DRAWING | SHEE | T 3 OF 3 |
| | ION CONTAINE HE SOLE PROPE CTS, INC. ANY N IN PART OR A | N IN PART OR AS A WHOLE VRITTEN PERMISSION OF | ION CONTAINED IN THIS HE SOLE PROPERTY OF CTS, INC. ANY N IN PART OR AS A WHOLE VRITTEN PERMISSION OF CTS, INC. IS | ION CONTAINED IN THIS HE SOLE PROPERTY OF CTS, INC. ANY N IN PART OR AS A WHOLE VRITTEN PERMISSION OF | ION CONTAINED IN THIS HE SOLE PROPERTY OF CTS, INC. ANY N IN PART OR AS A WHOLE VRITTEN PERMISSION OF CTS, INC. IS SCALE: 1:24 DO NOT | ION CONTAINED IN THIS HE SOLE PROPERTY OF CTS, INC. ANY N IN PART OR AS A WHOLE VRITTEN PERMISSION OF CTS, INC. IS SCALE: 1:24 DO NOT SCHEE |