

# Condor™ XL

Rider Scrubbers



Smart cleaning.

A Nilfisk-Advance Brand


 **Advance**  
Industrial Cleaning Equipment



The AXP™ Onboard Detergent Dispensing System provides productivity and savings through accurate dispensing.



The Clear-View™ machine design provides excellent sight lines to the floor from the comfort and safety of the operator's seat.



DustGuard™ suppresses airborne fugitive dust allowing continuous use, and increasing productivity by up to 71%.

# Condor™ XL Rider Scrubbers

The Advance Condor™ XL rider scrubber is the definition of innovative and optimized design. This maneuverable front steer scrubber houses the widest cylindrical scrub deck in its class. This deck's dual counter-rotating cylindrical brushes are capable of sweeping and scrubbing in a single pass. DustGuard™ suppresses and controls dust using a "fog" at the side broom. Using Advance's One-Touch™, the entire scrub system is activated simply by the press of a button.


Four different cleaning systems allow you to customize the scrubber to your facility's needs. Cleaning paths up to 67 inches are available on the Condor XL. This coupled with the efficiently packaged 100 gallon solution tank delivers the capability of cleaning up to 100,000 square feet per tankful under normal scrubbing speeds.

With Advance AXP™ Onboard Detergent Dispensing System, productivity and chemical savings are maximized. When it comes time for maintenance, MaxAccess allows a user to access all major systems simply and quickly without the use of tools, including the best-in-class LP bottle exchange.

The Advance Condor XL's design has set the bar in productivity, serviceability, safety, and ease of use.

*Ideal applications include:*

- Distribution Centers
- Manufacturing Plants
- General Warehouses
- Beverage Distribution
- Food Processors
- Wholesalers and Aircraft Hangars



Corrosion resistant hopper slides out easily for maintenance.



MaxAccess™ design provides 360 degree access to machine components.

FEATURES AND BENEFITS

**AXP™ Onboard Detergent Dispensing System** – Delivers chemical accurately at the specified dilution ratio, allows a user to switch chemicals effortlessly and without waste, and allows the machine to be filled anywhere there is fresh water.

**Cleaning Systems** – Four different cleaning systems to fit any scrubbing application.

**Solution / Recovery Tanks** – The largest solution/recovery tanks in its class to maximize the time between dumps and refills.

**Design** – Modular design provides the best-in-class accessibility to all systems of the machine.



Technical Specifications				
Models	Condor™ XL 48	Condor™ XL 60	Condor™ XL 62	Condor™ XL 67
<b>Cleaning System</b>				
Scrub Deck	48 in (122 cm) dual cylindrical – ALL MODELS			
Side Scrub/Sweep	–	Right side scrub	Dual side brooms with DustGuard™	Right side scrub & left side sweep with DustGuard™
Cleaning Path	48 in (122 cm)	60 in (152 cm)	62 in (157 cm)	67 in (170 cm)
Brush Pressure	Variable up to 400 lb (181 kg) – ALL MODELS			
Brush RPM	470 RPM – ALL MODELS			
Solution Tank	100 gal (378 L) – ALL MODELS			
Recovery Tank - Tip Out/Lift Off	100 gal (378 L) – ALL MODELS			
Debris Hopper	1.5 ft³ (42 L) – ALL MODELS			
Detergent Dispensing System	Available – ALL MODELS			
Extended Scrub System	Available – ALL MODELS			
Max Productivity @ 3.5 mph	73,900 ft²/hr (6,900 m²/hr)	92,400 ft²/hr (8,600 m²/hr)	95,500 ft²/hr (8,900 m²/hr)	103,200 ft²/hr (9,600 m²/hr)
<b>Power System</b>				
Engine - Gasoline/LP	Type - 55 hp 1.6L GM – ALL MODELS			
Engine - Diesel	Type - 37.5 hp Kubota – ALL MODELS			
Gradeability - Cleaning	7° / 12% – ALL MODELS			
Gradeability - Transport	9° / 16% – ALL MODELS			
Transport Speed	8 mph (12.9 km/hr) forward / 3 mph (4.8 km/hr) reverse – ALL MODELS			
<b>Dimensions, Etc.</b>				
Length	100 in (254 cm) – ALL MODELS			
Width	59 in (150 cm) frame & squeegee / 66 in (168 cm) with right side scrub – ALL MODELS			
Height w/o Overhead Guard	58 in (147 cm) – ALL MODELS			
Height with Overhead Guard	84 in (213 cm) – ALL MODELS			
Minimum Aisle Turn Width	119 in (302 cm)	130 in (330 cm) left 170 in (432 cm) right	119 in (302 cm) both directions	130 in (330 cm) left 170 in (432 cm) right
Weight	3,300 lb (1,497 kg) dry; 4,200 lb (1,905 kg) gross vehicle weight – maximum machine only (no options) – ALL MODELS			
Certifications	ETL – ALL MODELS			

Specifications are subject to change without notice.



**Accessories and options:**

- Wash Hose\*
- Under Hood Light
- Seat Belt
- Fire Extinguisher
- Warning Beacon
- Vac Wand
- Back-up Alarm
- Rear Bumper
- Overhead Guard
- Dual Armrest
- Brake/Signal Kit
- Corner Rollers
- Foot Guard
- Extended Scrub\*
- DustGuard™\*
- AXP™ Onboard Detergent Dispensing System\*
- Recovery Debris Tray\*
- Recovery Tank Clean-out Port\*
- Auto Solution Fill/ Shut-off\*

\*Recognized as high productivity / value features by today's customers.

14600 21st Avenue North  
Plymouth, MN 55447-3408  
[www.advance-us.com](http://www.advance-us.com)  
Phone 800-214-7700  
Fax 800-989-6566

240 Superior Boulevard  
Mississauga, Ontario, Canada L5T 2L2  
[www.nilfisk-advance.com](http://www.nilfisk-advance.com)  
Phone 800-668-8400  
Fax 800-263-5111

Ask about our leasing options.

©2009 Nilfisk-Advance, Inc. Form L3083A 9-11-09

