KÄRCHER

www.southeasternequipment.net





SEE YA LATER DIRTY ESCALATOR.

Quickly and easily clean your escalators with the BR 47/35.

Escalators are no longer a pain to clean with the BR 47/35.

Let's face it, the truth is that it is almost impossible to clean an escalator by hand. You work hard to ensure your facility has a clean, professional image-do not let dirty escalators stand out like a sore thumb and tarnish your hard work.

The BR 47/35 escalator cleaner is perfect for cleaning most types of escalators. It features two counter-rotating brushes, a centering skid and a compact, maneuverable design. Its tank-in-tank design is easy to maintain and the handle folds down for transport making this machine perfect for your facility.





1 Easy to use

- Comfortable, ergonomic handle for operator comfort
- Brush head operated by a foot pedal for ergonomics
- Foot-operated parking brake keeps the unit securely in place
- Short brush head enables cleaning of fast-moving escalators

2 Powerful performance

- Four hoses ensure maximum solution recovery
- Cleans right up to the edges
- Smooth running casters ensure superior maneuverability

3 Hygienic design

Tank-in-tank system is very easy to clean

4 Simple training and transport

- One-button operation for ease of use and training
- Handle folds down for easy transport
- Comfortable, ergonomic tread for safe positioning during operation

5 Maximum mobility

- Smooth-running casters ensure superior maneuverability
- Foot-operated parking brake keeps the unit securely in place

6 Cleans right up to the edges

- Two counter-rotating, motor-driven roller brushes with centering skid
- Outboard deflectors clean the outermost grooves in the treads.

7 Simple brush and comb replacement

Brushes and combs can be changed without additional tools

Technical data and equipment.



BR 47/35 ESCALATOR CLEANER

| TECHNICAL SPECIFICATIONS | | |
|--------------------------|--------|--------------|
| Cleaning path | in | 18.5 |
| Solution capacity | gal | 9.2 |
| Recovery capacity | gal | 9.2 |
| Electrical system | | 120V 60 Hz |
| Brush speed | RPM | 870 |
| Brush motor | HP | 1.5 |
| Water flow rate | gal/hr | 15.8 |
| Pressure | psi | 58 - 101.5 |
| Operating noise level | dBa | 75 |
| Weight | lbs | 199 |
| Dimensions (L x W x H) | in | 47 x 16 x 43 |

EQUIPMENT

| Order No. | Description |
|-------------|----------------------------|
| 1.310-110.0 | BR 47/35 Escalator Cleaner |

ACCESSORIES

| Order No. | Description |
|-------------|---|
| 6.369-508.0 | Groove rake for Otis and Thyssen-Krupp |
| 6.369-510.0 | Front guide comb (black) for Otis, Thyssen-Krupp, Fujitel, Montgomery |
| 6.369-520.0 | Rear guide comb (black) for Otis, Thyssen-Krupp, Fujitel, Montgomery |
| 6.369-507.0 | Groove rake for Kone and Schindler |
| 6.369-511.0 | Front guide comb (green) for Schindler, Westinghouse, Mitsubishi |
| 6.369-521.0 | Rear guide comb (green) for Schindler, Westinghouse, Mitsubishi |
| 6.369-512.0 | Front guide comb (white) for CNIM, DONG, YANG, HITACHI, TOSHIBA |
| 6.369-522.0 | Rear guide comb (white) for CNIM, DONG, YANG, HITACHI, TOSHIBA |
| 6.369-509.0 | Rear guide comb (gray) for Kone |
| 6.369-519.0 | Front guide comb (gray) for Kone |

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

4555 Airport Way Denver, CO 80239 U.S.A.

Phone888-805-9852Fax800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive Mississauga, ON L5T 2W9 Canada

Phone888-705-9444Fax905-672-3155

www.karcher.ca