

KÄRCHER

makes a difference



CONVENIENT, QUIET AND DEPENDABLE.

Cold water wall mounted and hand held direct-drive pressure washers.

HD WALL MOUNTED



Convenient and quiet.

Kärcher's wall-mount unit has a durable steel frame, uses a quiet 1725 RPM motor, and is perfect for in-shop uses. A remote on/off switch with a 10' electrical cord allows the machine to be mounted high on a wall away from backspray. ETL certified to UL and CSA safety standards.



Shown with optional wall mount bracket part no. 8.920-952.0

Features

- Accepts hot water up to 180 degrees
- Remote on/off switch
- Kärcher Triplex crankcase pump

Technical data

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs.)	Ship Dimensions (L x W x H) inches
HD 2.0/14 Ed +	1.107-088.0	1.8	1400	Direct	2	120V / 1ph	20	Kärcher KE	123	20 x 19 x 17

Optional Accessories

Order No.	Description
8.920-952.0	Wall mount bracket

HD HAND HELD



Light weight and dependable.

These light-industrial hand held units are significantly more rugged than typical consumer substitutes and are built with durable steel frames. Hand-held models come with a dependable axial pump, high pressure hose, a stainless steel wand and detergent injector with brass soap nozzle.



Features

- Durable steel frame

■ Axial pump
- Portable, easy to transport

Technical data

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs.)	Ship Dimensions (L x W x H) inches
HD 2.0/10 Ed	1.575-400.0	2.0	1000	Direct	1.5	120V / 1ph	15	Comet Axial	85	24 x 19 x 22
HD 1.8/14 Ed	1.575-401.0	1.8	1400	Direct	2	120V / 1ph	20	Comet Axial	95	24 x 19 x 22

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2
Canada

Phone 905-672-8233
Fax 905-672-3155

www.karcher.ca