


makes a difference



POWER MEETS PORTABILITY.

Welcome to the world of ultra high pressure cleaning.

HD 7.9/72-4 CAGE EC



Maximum power in a minimal package.

The HD 7.9/72-4 Cage Ec ultra high pressure washer delivers 7.9 gallons per minute at a powerful 7,200 PSI. It features a simple on/off dial and automatic pressure relief valve, making it easy to use, while delivering the most powerful cleaning performance in its class for a variety of applications.


















1 Pressure relief valve

- Pressure relief valve reduces pressure in the hose so it remains flexible when the trigger gun is closed
- Pressure is built up slowly when pulling the trigger gun to prevent immediate impact on shoulder and cleaning surface
- Protection from pressure spikes during operation

3 Intelligent features

- Standard dry run protection of the pump with indicator light
- Soft-start limits the current during startup preventing pump damage or tripping of circuit breakers
- Large water filter ensures long service life of the pump

2 Outstanding mobility

- Large wheels and an optimum center of gravity makes transportation easy despite its size
- Crane hook allows simple loading and unloading
- Brakes guarantee safety during operation or transport

4 Ease of use

- On-board storage for all accessories
- Simple operation with one simple on/off dial

Technical data and equipment.

HD 7.9/72-4 CAGE EC

TECHNICAL SPECIFICATIONS		
PSI		7200
GPM		7.9
Max. inlet temp	°F	140
Pump		Crankshaft
Drive		E-Motor 460 V / 60 Hz
Motor rating		30 kW / 41 HP
Ship weight	lbs	699
Ship dimensions	in	51 9 x 29 4 x 43

EQUIPMENT

Order No.	Item Description
1.367-163.0	HD 7.9/72-4 Cage Ec

ACCESSORIES

A	CESSORIES				
	Order No.	Description			
	4.775-824.0	Kärcher industry gun			
•	4.760-679.0	28" spray lance (up to 9,280 PSI)			
•	6.391-847.0	66' pressure hose (up to 8,990 PSI)			
•	5.765-263.0	Flat jet nozzle, 060			
	2.637-017.0	Add-on kit pre pressure pump			
	2.639-251.0	Shoulder support			
	4.760-653.0	41" spray lance (up to 9,280 PSI)			
	4.760-675.0	60" spray lance (up to 9,280 PSI)			
	4.760-677.0	81" spray lance (up to 9,280 PSI)			
	4.403-004.0	Hose coupling			
	6.391-846.0	33' pressure hose (up to 8,990 PSI)			
	6.391-019.0	100' pressure hose (up to 8,990 PSI)			
	2.113-073.0	Flat jet nozzle, 075 (5,075 PSI)			
	2.113-075.0	Flat jet nozzle, 095 (3,625 PSI)			
	2.113-077.0	Flat jet nozzle, 120 (2,175 PSI)			
	5.765-264.0	Point jet nozzle, 060			
	2.113-074.0	Point jet nozzle, 075 (5,075 PSI)			
	2.113-076.0	Point jet nozzle, 095 (3,625 PSI)			
	2.113-078.0	Point jet nozzle, 120 (2,175 PSI)			
	6.415-060.0	F9 power rotary jet (7,200 PSI)			
	6.025-526.0	F9 power rotary jet repair kit			
	6.025-233.0	Tool for changing rotor seat			
	6.392-401.0	33' pipe cleaning hose			
	6.392-402.0	66' pipe cleaning hose			
	6.392-403.0	100' pipe cleaning hose			
	6.470-223.0	Foot valve			
	6.025-527.0	Pipe cleaning nozzle, Standard 060			
	6.025-528.0	Pipe cleaning nozzle, Quattro 060			
	6.025-529.0	Pipe cleaning nozzle, Rotary 060			
	6.025-257.0	Mounting tool for nozzle kit			
	9.917-716.0	Abrasive blaster			
	9.886-552.0	F98 3-nozzle kit for abrasive blaster			
	6.025-308.0	Abrasive material hose			
	6.025-258.0	Suction lance			
	5.401-325.0	Adapter M20 to UNF			
	2.643-577.0	FRI 50 Me industrial surface cleaner, 20" (7,200 PSI)			
	6.415-059.0	Nozzle kit for FRI 50 Me			
_	ncluded □ Ontiona				

[■] Included □ Optional