

# Advance AquaClean® 16ST/16XP/18FLX

Carpet Extractors



DEFINING  
CLEANING  
INNOVATION



An incredible combination of  
versatility and performance

 **Advance**  
by Nilfisk-Advance



# Advance AquaClean® Carpet Extractors

## Smart Solutions™ DCM

Smart Solutions™ DCM Dual Cleaning Mode technology is available on the AquaClean 16XP and 18FLX models. Smart Solutions™ DCM is the Smart Solution for fast dry times, reducing the cost to clean, increasing productivity and is environmentally friendly.

Engaging the low moisture/high productivity maintenance mode redirects the solution flow to the low moisture nozzle that sprays on the brush. Less chemical and water is used extending the time between dump and refill cycles and gets traffic back on the carpet faster.


Switching to deep restorative cleaning is just as easy. In this mode, increased moisture and aggressive brush agitation is used to help loosen tough soils in the front of the facility and in traffic lanes.

The Advance AquaClean® 16XP and 18FLX increase productivity and drive down the cost to clean by combining carpet extraction and spotting/upholstery cleaning in one machine with the integrated upholstery tool and hoses. An optional hard floor kit converts the AquaClean® into a 16 inch or 18 inch auto scrubber for hard floor cleaning.

The Advance AquaClean® 18FLX features a flip over handle resulting in dual operating modes. The 18FLX can be operated as either a traditional pull back machine or it can be instantly converted into an ergonomic walk behind carpet extractor.

### Ideal Applications Include —

- Commercial Office Space
- Retail and Malls
- Hospitality and Gaming
- Restaurants
- Government Facilities
- Healthcare
- Education



VALUE FEATURES



High productivity Smart Solutions™ DCM on 16XP and 18FLX



Simple intuitive controls reduce training time.



No tools removable brush and vacuum shoe.



Low sound level reduces operator fatigue.

AquaClean® 18FLX Shown



18FLX has dual operating modes for traditional or high productivity walk behind extraction.



Smart Solutions™ DCM on 16XP and 18FLX for deep cleaning or high productivity.



Carpet extraction and spotting/upholstery machine in one with integrated hand tool.



Optional hard floor converts any AquaClean® into a hard floor scrubber.



Simple controls make it easy to learn and use.



Fully variable brush height adjustment control.

VALUE FEATURES

*The Advance AquaClean®, designed with Total Clean™ Technology, is very comfortable and safe to use — by design. The result is increased productivity. The Advance AquaClean® is also designed with features to make it easy to clean up and maintain after cleaning. That reduces the total cost of ownership and drives down the cost of cleaning.*







## The Advance AquaClean® Technologically advanced and feature rich.

- Smart Solutions™ DCM increases productivity while reducing chemical and water waste. Maintenance or restorative cleaning with one machine and a simple flip of a lever instantaneously adapts to the cleaning needs in your facility.
- The 16XP and the 18FLX are two machines in one with a fully integrated spotting and upholstery machine built in.

### Defining Cleaning Innovation...

- Our products are designed using innovative technology that increases productivity and drives down the cost to clean.
- You can get expert service and maintenance for your products by factory-trained personnel around the world, as well as fast parts delivery.
- Maintain peak performance with genuine APA parts.




### Optional Accessories

- Hard floor kit converts AquaClean® extractors into an automatic hard floor scrubber
- 16 inch nylon hard floor brush for lighter scrubbing
- 16 inch MidGrit™ 240 hard floor brush for aggressive scrubbing
- 18 inch nylon hard floor brush for lighter scrubbing
- 18 inch MidGrit™ 240 hard floor brush for aggressive scrubbing
- Light duty soft floor wand assembly
- Heavy duty soft floor wand assembly
- Heavy duty soft and hard floor wand assembly
- Hand tool for upholstery

## Technical Specifications

Models	16ST	16XP	18FLX
Solution Tank	8 gal (30.3 L)	8 gal (30.3 L)	12 gal (45.4 L)
Recovery Tank	6 gal (22.7 L)	6 gal (22.7 L)	9 gal (34.1 L)
Flow Rate DCM Mode	N/A	.33 gpm @ 60 psi	.33 gpm @ 60 psi
Flow Rate Rest. Mode	0.7 gpm @ 60 psi	0.7 gpm @ 60 psi	0.7 gpm @ 60 psi
Vacuum Motor	1.5 hp, 3 stage	1.5 hp, 3 stage	1.5 hp, 3 stage
Brush Motor	1/3 hp	1/3 hp	1/3 hp
Brush Size /Cleaning Path	16 in (40.6 cm)	16 in (40.6 cm)	18 in (45.7 cm)
Vacuum Shoe	18 in (45.7 cm)	18 in (45.7 cm)	20 in (45.7 cm)
Power Cable	50 ft (15 m) Fixed	50 ft (15 m) Pigtail	50 ft (15 m) Pigtail
Waterlift	117 in (297 cm)	117 in (297 cm)	117 in (297 cm)
Part Numbers	56 265 003	56 265 000	56 265 001



Specifications are subject to change without notice.



14600 21st Avenue North  
Plymouth, MN 55447-3408  
www.nilfisk-advance.com  
Phone: 800-214-7700  
Fax: 800-989-6566

396 Watline Avenue  
Mississauga, Ontario, Canada L4Z 1X2  
www.nilfisk-advance.com  
Phone: 800-668-8400 or 905-712-3260  
Fax: 800-263-5111 or 905-712-3255

©2005, Nilfisk-Advance, Inc., Printed in U.S.A., Form L1650A 2-05