3110/3120

Upright Vacuums

- Lightweight feel with heavy-duty performance
- Bottom-line savings from interchangeable parts
- One of the quietest in the industry at 69 dBa

3110 and 3120 Upright Vacuums

Premium design combined with unsurpassed performance.

With a handle-weight 12% lighter than the leading competitive upright vac, and a brush RPM nearly double the speed of the leading competitor's, your staff will vacuum faster and your carpets will be cleaner with the 3110/3120 upright vacuums.

EASIEST TO USE

From the ease with which the vacuums move, to the remarkably lower sound level, the 3110s and 3120s are designed with users in mind:

- Less strain on the operator's forearm and lower back from a handleweight 12% lighter than the leading commercial-grade vacuum.
- Easier to push and pull with a fully enclosed, EZ-Grip™ ergonomic handle.
- Noise-sensitive environments are no longer off limits with a very low 69 dBa.
- Operators carry the vacuum from a low-center-of-gravity accubalance front handle.



IDEAL ENVIRONMENTS:

Hospitality – Hotel rooms, casinos, banquet halls, and auditoriums.

Education – Elementary, secondary, colleges, and universities.

Healthcare – Hospitals, doctor's offices, and nursing homes.

Retail – Large boxes and department stores.



UNSURPASSED PERFORMANCE

In addition to how clean a carpet looks, vacuum performance must also be measured by how much more productive your staff can be:

- With dynamically-balanced brushes spinning nearly twice the speed of the leading competitive vac, carpets don't just look cleaner, they are cleaner—faster.
- Bayblend™ housing on the base—protects the motor from the abuse of daily use, keeping the vacs up and running.
- Three-ply filter bags with optional HEPA filter: for premium indoor air quality.





- A Reduce operator fatigue with adjustable, light-weight handle
- B Reach high surfaces easily with telescoping wand
- Reduce trip and falls with industrystandard safety-yellow cord
- D Ensure premium indoor air quality with 3-ply filter bag
- Easy operator access to on-board suite of tools: crevice tool for quick cleaning of corners, round upholstery dusting tool, and extra paper bag storage
- **F** Easy to lift and transport with accubalance handle
- **G** Ensure the highest air quality with optional HEPA filter
- H Protect motor from bumps with durablend polymer housing
- Achieve superior cleaning performance from dynamically-balanced high speed brush
- Ensure long-life performance with sealed bearings (vs. bushings)



INTEGRATED FAMILY DESIGN

The savings from switching to the new 3110/3120 series start at day one with our integrated family design and continue for the life of the machine:

- Interchangeable parts across motor types reduce stocking time, storage costs, and inventory space translating into immediate, bottom-line savings.
- Even better, all parts are put through extreme real-life, continuous-use testing to ensure repair downtimes are a minimum and savings are at a maximum for the life of the vac.

Discover the possibilities that come from superior engineering.





SEEING IS BELIEVING

See for yourself how the 3110/3120 upright vacuums can help you clean easier. For a demonstration or additional information, call 800.553.8033.

3110/3120 UPRIGHT VACUUMS

SINGLE MOTOR	3110 (12-inch) 31	3110 (15-inch)	
Brush Drive System				
Dynamic balanced brush	4500 rpm		4500 rpm	
Vacuum System				
Motor airflow	92 cfm/42 liters/		92 cfm/42 liters/sec.	
Motor waterlift	79 in/2000 m	m 79	79 in/2000 mm	
Motor HP	1.14 hp		1.14 hp	
Debris Recovery/Filtration				
Vacuum bag capacity	1.2 gal/4.5 lite	er 1.	1.2 gal/4.5 liter	
Air filtration	5 level (optional I	HEPA) 5 leve	5 level (optional HEPA)	
Recovery System				
Vacuum hose length	15 in/38 cm stretches to 63 in/160 cm			
Vacuum wand	Telescopic 21 in/53 cm to 35 in/89 cm			
Power Cord				
Power cord length	49 ft/15 m		49 ft/15 m	
	-			
Dimensions/Weights Product height	44 in/112 mm 44 in/112 mm			
Product height Product length	13 in/33 cm			
Product width	12 in/30 mm	, , , , , , , , , , , , , , , , , , , ,		
Product weight (without cord)	16.6 lb/7.5 kg	·		
		,		
Decibel Rating Operator's position	69 dBa		69 dBa	
——————————————————————————————————————	ОЭ СБа		ОЭ СВа	
DUAL MOTOR	3120 (12-inch)	3120 (15-inch)	3120 (18-inch)	
Brush Drive System				
Dynamic balanced brush	4500 rpm	4500 rpm	4500 rpm	
Vacuum System				
Motor airflow	92 cfm/42 l/sec.	92 cfm/42 l/sec.	92 cfm/42 l/sec	
Motor waterlift	79 in/2000 mm	79 in/2000 mm	79 in/2000 mm	
Motor HP	1.07 hp	1.07 hp	1.07 hp	
Debris Recovery/Filtration				
Vacuum bag capacity	1.2 gal/4.5 liter	1.2 gal/4.5 liter	1.2 gal/4.5 liter	
Air filtration	5 level (optional HEPA)			
Recovery System				
Vacuum hose length	15 in/38 cm stretches to 63 in/160 cm			
Vacuum wand	Telescopic 21 in/53 cm to 35 in/89 cm			
Power Cord	·			
Power cord length	49 ft/15 m	49 ft/15 m	49 ft/15 m	
	12 19 13 111	12 10 13 111	12 10 13 111	
Dimensions/Weights	44: /210	44:/110	44: /110	
Product height	44 in/112 mm	44 in/112 mm	44 in/112 mm	
Product length	13 in/33 cm	13 in/33 cm	13 in/33 cm	
Product width Product weight (without cord)	12 in/30 mm 17.9 lb/8.1 kg	12 in/30 mm 18.4 lb/8.3 kg	12 in/30 mm 19.2 lb/8.7 kg	
	17.2 ID/0.1 kg	10.7 ID/0.3 Kg	17.2 1D/0.7 Kg	
Decibel Rating	60 15	60 IB	60 IS	
Operator's position	69 dBa	69 dBa	69 dBa	

motors and belts exclusive of wear-induced concerns.

Tennant

701 North Lilac Drive P.O. Box 1452 Minneapolis, MN 55440-1452 800.553.8033 d: 763.540.1200 In Quebec: 514.335.6061 f: 763.513.2112 tennantco.com info@tennantco.com