



SPEEDGLEAM[®] RIDER

Compact, battery burnisher for large and small areas



Best value in its class

The SpeedGleam® Rider

It's Simple

- Reduce operator training with intuitive control panel and supervisor lock-out function.
- Service your machine easily with automated head-lift and easy battery access.
- Charge anywhere with integrated, on-board charger and cord management.

It's Flexible

- Choose a 24 in / 610 mm or 27 in / 686 mm cleaning path.
- Burnish with 3 speeds and 3 down pressure settings.
- Cover large areas quickly while still fitting in tight areas like doorways and elevators with compact rider design.

It's Safe

- Increase Indoor Environmental Quality (IEQ) with optional active, 4-stage HEPA filtration dust control system.
- Make operator comfort a priority with low 69 dBA sound level.




Four no-nonsense features

1. **High efficiency pad motor** for maximum productivity.



2. **Automated burnisher lift** for safe and easy access and pad exchange.





Innovative Nobles Technologies

QA Controls™ System

Lock-in consistent, repeatable cleaning results with exclusive QA Controls system. The “supervisor lock-out” simplifies operator experience and helps ensure a uniform speed and down pressure each time.



HydroLink® Battery Watering System*

(optional feature)

HydroLink's easy-to-use design requires little to no training and protects operators from the possibility of acid contact and other risks associated with open battery maintenance. Save money by decreasing maintenance needs and increasing battery life and run time.



*HydroLink® is a registered trademark of Trojan Battery Company

3. Highly intuitive controls make adjusting between 3 speeds and 3 down pressures quick and easy.



4. Optional, Active Dust Control with 4-stage HEPA filtration that improves indoor environmental quality.





Optimize cleaning performance with Tennant*True*®

Maximize the uptime and life of your Tennant equipment with Tennant*True* Parts and Service. Benefit from the unmatched knowledge of our team of over 400 factory-trained and certified Tennant Service technicians. Tennant*True* Parts are designed to fit your Tennant machine and deliver optimal cleaning performance. This helps reduce machine downtime and service calls. Depend on Tennant*True* to help you maximize the effectiveness of cleaning operations.

Tennant*True* Parts program includes Tennant, Nobles, Green Machines and Orbio cleaning equipment.

Engineered by Tennant Company, the SpeedGleam Rider is the smart, reliable choice for your no-nonsense cleaning needs.

SpeedGleam® Rider Specifications		
Cleaning path (disk)	24 in / 610 mm	27 in / 688 mm
Pad motor	4 hp direct drive	
Pad rotation	1,500-1,600 rpm	
Down pressure (selectable)	70, 78, 85 amps	
Burnishing speeds		
Forward (as shipped)		
Low	150 fpm / 45.7 mpm	
Medium	175 fpm / 53.3 mpm	
High	200 fpm / 61.0 mpm	
Console programmable (per minute)		
Low Range	125, 150, 175 fpm / 38.1, 45.7, 53.3 mpm	
High Range	250, 275, 300 fpm / 76.2, 83.8, 91.4 mpm	
Battery type	Flooded lead acid 6 x 6 Volts 435 Amp Hour at 20 hour rate	
Battery run time	3 hour minimum run time at low down pressure setting	
On-board charger	25 Amp rating with charge time ≤ 18 hours	
Dust filtration	4-stage HEPA filtration (optional)	
Warranty	See your local representative for warranty information	

Specifications subject to change without notice.