


DEEP CLEANING STAND-ON POWER

Get impressive results with this compact stand-on cylindrical scrubber.

Productivity and scrubbing power for everyday use.

Revel in the productivity and power gains from this combination of our Chariot™ 2 line with our superior cylindrical scrubbing technology. Save time and money by pre-sweeping, scrubbing and vacuuming in one pass with this machine. This advantage comes on with cylindrical scrubbing. All of the benefits of a traditional Chariot™ come with this unit including ergonomic improvements, productivity gains, and easy intuitive operation.



1 Productivity

- Designed with our patented Chariot™ stand-on technology for increased productivity and maneuverability
- Two 22-inch counter-rotating cylindrical brushes provides pre-sweeping, scrubbing and vacuuming in one pass for thorough cleaning, especially on grouted & structured surfaces
- Over 50% more productive than a conventional 20-inch walk-behind scrubber

2 Easy to use

- An ultra-tight turning radius enables Chariot™ to run around in five foot aisles with room to spare. Greater access in tight areas, increasing your floor cleaning coverage.
- Intuitive control panel and an easy-to-clean, fully accessible hygienic recovery tank
- Easy access to the debris tray for dumping and cleaning
- Wide-open access to battery compartment and effortless access to recovery tank for easy cleaning

3 Safety first

- Swiveling no-adjustment squeegee with Aqua-Mizer™ functionality that ensures 100% water pick up for dry, safe floors
- Design and size that provides remarkable maneuverability, and best-in-industry 360° visibility that allows the operator to see more of the cleaning area
- Tie-down bar for ease of transportation
- Quiet operation for daytime cleaning

Technical specifications and order numbers.



CHARIOT™ 2 ISCRUB 22 SP

TECHNICAL SPECIFICATIONS

Cleaning path	in	22
Productivity (practical)	ft ² /hr	19,700
Brushes (2 counter-rotating cylindrical)	in	22
Brush motor	hp	0.8
Brush speed	rpm	1500
Brush pressure	lbs	46
Solution capacity	gal	10
Recovery capacity	gal	10
Electrical system		36V 3x12V 130 A/H, 36V 3x12V 114 A/H AGM
Operating noise level	dBA	71.5
Weight (w/o batteries)	lbs	255
Dimensions (L x W x H) with squeegee	in	44 x 29.3 x 51.8

EQUIPMENT

Order No.	Description
9.840-938.0	Chariot™ 2 iScrub 22 SP, 36V 3x12V 130 A/H batteries w/ 21A automatic charger
9.840-940.0	Chariot™ 2 iScrub 22 SP, 36V 3x12V 114 A/H AGM batteries
9.840-941.0	Chariot™ 2 iScrub 22 SP, 36V 3x12V 114 A/H AGM batteries w/ on-board charger
9.841-261.0	Chariot™ 2 iScrub 22 SP, 36V 3x12V 130 A/H batteries w/ 21A automatic charger and chemical metering
9.841-262.0	Chariot™ 2 iScrub 22 SP, 36V 3x12V 114 A/H AGM batteries w/ 21A automatic charger and chemical metering
9.841-263.0	Chariot™ 2 iScrub 22 SP, 36V 3x12V 114 A/H AGM batteries w/ 21A on-board charger and chemical metering

ACCESSORIES

Order No.	Description
<input type="checkbox"/> 4.762-410.0	Cylindrical brush, high/low (orange)
<input checked="" type="checkbox"/> 4.762-393.0	Cylindrical brush, medium (red)
<input type="checkbox"/> 4.762-411.0	Cylindrical brush, hard (green)
<input type="checkbox"/> 4.762-409.0	Cylindrical brush, soft (white)
<input type="checkbox"/> 4.762-415.0	Cylindrical Pad Shaft (2 required)
<input type="checkbox"/> 8.635-692.0	22" Chemical-Free Stripping Cylindrical Brush (must have 4.762-415.0 pad shafts)
<input type="checkbox"/> 4.114-010.0	Microfiber Roll
<input type="checkbox"/> 6.273-207.0	Squeegee Set, Oil Resistant
<input type="checkbox"/> 6.369-735.0	Pad white
<input type="checkbox"/> 6.369-732.0	Pad yellow
<input type="checkbox"/> 6.369-733.0	Pad green
<input type="checkbox"/> 6.369-734.0	Pad red

■ Included □ Optional

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.windsorkarchergroup.com