


Advance BA 5321/D

Walk-Behind Automatic Scrubbers



DEFINING
CLEANING
INNOVATION

Simple, economical, efficient
way to clean floors





Advance BA 5321/D

Walk-Behind Automatic Scrubbers

Economical, Reliable Scrubbing Performance

These machines represent a new standard of economical performance in battery-powered automatic scrubbers.

The compact design of the Advance BA 5321/D make them easy to maneuver in aisles or confined areas, and to fit through standard doors or onto elevators. To make operation even easier, the "D" model features drive to the wheels, while the other model has Power-Flo™ propulsion drive.

The Advance BA 5321/D can clean 27,800 square feet (2,044 m²) per hour or up to 31,800 (2,954 m²) applying solution to the floor, scrubbing and drying a 21 inch (53 cm) or 24 inch (61 cm) path all in one pass. They are ideal for cleaning supermarkets, schools or similar facilities, and even quiet enough for hospitals.


With onboard charger you can charge batteries anywhere, anytime.

Rugged construction of corrosion and impact-resistant polyethylene tanks and a sturdy steel frame make these scrubbers durable and light weight. They're also a low-cost, high-performance alternative to high-priced competitive models.

Compact and reliable, the BA 5321/D scrubbers clean floors in a single pass.

Ideal Applications Include —

- Supermarkets
- Schools and Universities
- Hospitals
- Retail



VALUE FEATURES



Simple control of brush, solution and vacuum ensures proper operation, cuts training.





Polyethylene tanks won't chip, crack, or rust.



Tanks tip up for easy access to all parts for quick servicing.




Low 68 dB A noise level permits use anywhere, anytime.



Brushes automatically release from the deck with the flick of a switch.



Tanks tip-back for easy access to components and battery maintenance. The sturdy steel frame is dipped in zinc-chromate for rust protection.



With onboard charger standard, you can charge batteries anywhere, anytime.



Drain hose has a soft, squeezeable section to permit manual regulation of flow.

VALUE FEATURES

The Advance BA 5321/D designed with Total Clean™ Technology, are very comfortable and safe to use – by design. The result is increased productivity. The Advance BA 5321/D are also designed with features to make them easy to clean up and maintain after cleaning. That reduces the total cost of ownership and drives down the cost of cleaning.





Advance BA 5321/D Optional Accessories

- Neoprene Blade Kit
- Gum Rubber Blade Kits
- Wet Pickup Wand Kit
- Splash Guard
- Machine Cover
- Scrub & Vac™ Kit

Defining Cleaning Innovation...

- Our products are designed using innovative technology that increases productivity and drives down the cost to clean.
- You can get expert service and maintenance for your products by factory-trained personnel around the world, as well as fast parts delivery.
- Maintain peak performance with genuine APA parts.



Brushes

Five different brushes and one padholder are available for the BA 5321 scrubbers.



MidLite Grit™ 180
medium-heavy



Union mix brush



Prolene medium
0.7 mm



Prolite soft
0.5 mm




MidGrit™ 240
medium



Pad holder

Technical Specifications

Scrub Path	21 in (53 cm)	Wheels	Two 8 in (20 cm) w/5 in (13 cm) rear caster
Coverage Rate	27,800 ft ² (2,044 m ²)	Propulsion System	"D" model has a 0.25 hp/200 W motor providing drive to the wheels, with fully-variable forward and reverse electronic control. The other models use Power-Flo™ drive from the brushes to assist in propelling the machine while operating.
Brush/Pad Size	(1) 21 in (53 cm)	Power Source	Two 12 V/105 Ah batteries, 24 V system
Brush Speed	180 rpm	Controls	Simple control, automatic brush/solution shut-off when machine is in neutral
Brush Pressure	70.5 lb (32 kg)	Weight	Net w/o batteries – 234 lb (106 kg) Net w/batteries – 338 lb (153 kg) Shipping – 314 lb (142 kg)
Brush Drive Motor	0.75 hp, 600 W	Part Numbers	BA 5321 56 325 779 BA 5321D 56 325 780
Vacuum Motor	0.5 hp, 350 W, 2-stage		
Squeegee	30.3 in (77 cm) curved style with center-pivot mounting with 4-sided wiping blades.		
Sound Level	68 dB A		
Solution Tank	14.5 gal (55 L) capacity, polyethylene		
Recovery Tank	14.5 gal (55 L) capacity, polyethylene, with automatic recovery shut-off system to prevent tank overflow, and 3/8 in (22 mm) variable-flow-control drain hose.		



Specifications are subject to change without notice.



14600 21st Avenue North
Plymouth, MN 55447-3408
www.advance-us.com
Phone: 800-850-5559
Fax: 800-989-6566

396 Watline Avenue
Mississauga, Ontario, Canada L4Z 1X2
www.nilfisk-advance.com
Phone: 800-668-8400 or 905-712-3260
Fax: 800-263-5111 or 905-712-3255