



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



T1 Battery

MICRO-SCRUBBER

- Cord-free flexibility allows cleaning even when people are present
- Optional lithium-ion battery provides up to 20 times longer battery life and can clean multiple times per day
- Compact, forward and reverse scrubbing and drying delivers quiet, best-in-class cleaning of congested spaces



800.440.6723

www.southeasternequipment.net

QUIETLY DELIVERS A CLEAN AND SAFE ENVIRONMENT ANY TIME OF DAY FOR RETAIL, HEALTHCARE AND EDUCATION



CORDLESS DESIGN PROVIDES SAFE, FLEXIBLE CLEANING

The T1 Battery Micro-Scrubber eliminates cord hazards and constraints, so facilities can be cleaned regardless of the time of day.

SCRUBBER CAN BE USED AND RECHARGED MULTIPLE TIMES A DAY

An industry first in this category, the T1 Battery Micro-Scrubber with the lithium-ion battery is a multiple-use, daily cleaning tool that is virtually always ready to clean. Compared to standard batteries, lithium-ion battery technology lasts up to 20 times longer in high frequency, quick charge applications.

COMPACT, MANEUVERABLE DESIGN AND POWERFUL SCRUBBING ACTION

At 68 dBA, the T1 Battery Micro-Scrubber cleans small, congested areas safely and efficiently without disturbing customers, patients, students or employees. The T1 Battery Micro-Scrubber replaces mop and bucket cleaning and features excellent water recovery to reduce slip and fall accidents. This compact scrubber is perfectly sized to handle spills, front entrance ways or vestibules, check out aisles, cafés, “back of house” projects and touch-ups any time of day.

TWO BATTERY OPTIONS TO MATCH YOUR NEEDS

Order your T1 with a sealed AGM battery or lithium-ion battery. An AGM battery option provides up to 45 minutes of high-performance cleaning – great for standard cleaning applications with 1-2 charges per day. The lithium-ion battery option provides up to 60 minutes of run time – excellent for multiple use charge applications where lightweight and longer run time is desired. Lithium-ion batteries can be charged three or more times per day.

800.440.6723 • www.southeasternequipment.net

INSIDE THE

T1B



QUALITY OPTIONS / FEATURES ENSURE PEAK PERFORMANCE

- A** Insta-Adjust™ handle improves worker comfort and productivity.
- B** Optional quick-charge lithium-ion battery enables unit to be used multiple times per day.
- C** Removable, easy-to-clean Hygenic® tanks reduce bacteria growth and improve environmental health.

BATTERY RECOMMENDATION CHART

APPLICATIONS	BATTERY SYSTEM
1-2 charges per day (standard daily cleaning)	Lithium-ion / AGM
3 or more charges per day	Lithium-ion
Multiple users/departments daily	Lithium-ion
“Utility Tool” usage – mop and bucket approach for cleaning	Lithium-ion
Seasonal clean up issues (snow/salt, sand, rain, etc.) tracked into facility	Lithium-ion
Frequent spills or touch ups needed	Lithium-ion

800.440.6723 • www.southeasternequipment.net

OPTIMIZE CLEANING
PERFORMANCE WITH
TENNANTTRUE®

Maximize the uptime and life of your Tennant equipment with TennantTrue parts and service. Benefit from the unmatched knowledge of our team of over 400 factory trained and certified Tennant Service Reps. Improve productivity with quality parts and supplies that are designed to enhance equipment results. Depend on TennantTrue to help you maximize the effectiveness of cleaning operations.

T1 BATTERY MICRO-SCRUBBER

SCRUBBING SYSTEM

Cleaning path	15 in / 380 mm
Productivity (per hour)	
Theoretical max	14,875 ft ² / 1,380 m ²
Estimated coverage*	7,750 ft ² / 720 m ²

BRUSH DRIVE SYSTEM

Brush motor horsepower	0.65 hp / 0.49 kW
Brush RPM	900 rpm (@ brush)
Brush down pressure	38 lb / 17 kg
Brush size	3.5 in / 89 mm

SOLUTION DELIVERY SYSTEM

Solution tank capacity	2.5 gal / 9.5 L
Solution flow rate	0.10 gpm / 0.37 lpm

RECOVERY SYSTEM

Recovery tank capacity (includes demisting chamber)	3.4 gallon / 12.9 L
Vacuum fan	
Motor	0.5 hp / .38 kW
Stages	1-stage
Water lift (sealed)	25 in / 635 mm

BATTERY SYSTEM

Battery (lithium-ion or AGM)	12.8 VDC
Battery run time (lithium-ion / AGM)	up to 60 minutes / up to 45 minutes

MACHINE SPECIFICATIONS

Length	45.4 in / 1,150 mm
Width	
Base	19.7 in / 500 mm
Squeegee	17.5 in / 440 mm
Height	
Base (to top of cover)	20 in / 510 mm
Base (folded handle for storage)	23.8 in / 600 mm
With handle up	34 in / 860 mm
Weight	
Lithium-ion battery	110 lb / 50 kg
AGM battery	126 lb / 57 kg
Sound level (operator's ear)	68 dBA

WARRANTY

See your local representative for warranty information

*Estimated coverage rates use the practical speed and empty/fill time standards from the 2004 ISSA Cleaning Times handbook.

Specifications subject to change without notice.



800.440.6723

www.southeasternequipment.net